

Technical Data Sheet

NORC HYPERTECH-GF5 **SAE 0W-20 API SN PLUS** **Fully Synthetic Fuel Efficient Engine Oil**

PRODUCT DESCRIPTION

NORC HYPERTECH SAE 0W-20 is premium multi-grade fully synthetic engine oil with lowered viscosity for an enhanced fuel economy properties. It protects against friction, heat, and corrosion, keeping engines healthy and efficient.

NORC HYPERTECH SAE 0W-20 is manufactured using especially selected synthetic base stocks and state of the art additive package technology, reducing carbon and sludge build up even under severe driving conditions.

NORC HYPERTECH SAE 0W-20 is optimally suited for hybrid vehicles and other modern vehicles requiring an extremely low viscosity engine oil. It is engineered to fulfill and / or exceed the performance requirements of GM DEXOS 1 GENERATION 2.

BENEFITS

- Advance fully synthetic formulation.
- Enhanced fuel economy properties.
- Excellent anti-wear characteristics.
- Excellent low temperature capabilities.
- Excellent overall lubrication performance.
- Increase engine efficiency.
- Long drain interval.
- Prolong engine life.

Technical Data Sheet

NORC HYPERTECH-GF5

SAE 0W-20 API SN PLUS

Fully Synthetic Fuel Efficient Engine Oil

SPECIFICATIONS

API SN PLUS

ILSAC GF-5

GM DEXOS 1 GEN 2

FORD WSS-M2C947-A

TECHNICAL DATA SHEET

PROPERTY	UNIT	TEST METHOD	SAE 0W-20
Density @ 15°C	Kg ³ / m	DIN 51 757	847
Kinematic Viscosity @ 40°C	mm ² / s	DIN 51 562	45.6
Kinematic Viscosity @ 100°C	mm ² / s	DIN 51 562	8.7
Viscosity Index		DIN ISO 2909	172
Flash Point	°C	DIN ISO 2592	> 220
Pour Point	°C	DIN ISO 3016	< - 42

The above data is just an indication based on production, and does not considered to be actual specification. "NANO OIL REFINING COMPANY NORC GmbH" holds its right to make modifications.